



SWINGAWAY HEAT PRESSES TS SERIES



SWINGAWAY HEAT PRESSES TS SERIES

With its comfortable automatic swinging mechanism, the new and improved Secabo TS7 heat press offers a large workspace for comfortable placement of transfer objects. The spacious base plate with a size of $40 \, \text{cm} \times 50 \, \text{cm}$ is arranged in portrait mode, further simplifying the precise positioning of the transfer objects.

Automatic opening and automatic swinging of the TS7 press upon the transfer allows for comfortable and even more flexible work. The Secabo TS7 is suitable for all known heat transfer methods and can be used in almost all areas of transfer technology.



FEATURES



Digital controller

Time and temperature are set within one digital controller.



Large working area

The heat press can be opened up to 100° to work easily and safely.



Variable working pressure

The pressure can easily be adjusted – depending on the technology and object.



Working safely

The safety and quality of the machines is permanently controlled by German safety standards.



Exact temperature distribution

The high-quality heat plate ensures an exact temperature distribution over the whole heating plate.



Low hysteresis

The temperature controllers reduce temperature fluctuations to a minimum.



Net weight

Items included



TS7

73 kg

Heat press, power cable

TECHNICAL DATA

Working area size	40cm × 50cm
Pressure setting	Height adjustment base plate
Max. working pressure	170 g/cm²
Max temperature	225°C.
Max. preset time	999s
Power supply	AC voltage 230V / 50Hz - 60Hz, 1.8kW
Environment	+5°C - +35°C / 30% - 70% relative humidity
Dimensions	64cm × 70cm × 58cm



QUICK-CHANGE SYSTEM FOR ECHANGEABLE BASE PLATES

Depending on the heat press model, the quick-change system allows for side by side mounting of up to three echangeable base plates that can be swapped within mere seconds. An adapter for mounting the original base plate to the quick-changer is included. The adapter's special beam technology also permits the comfortable overlaying of textiles over the base plate.



Phone: +49 (0) 8442 95840-10 Fax: +49 (0) 8442 95840-11 E-Mail: mail@secabo.de www.secabo.de Secabo GmbH Hochstatt 6-8, 85283 Wolnzach Germany