

CRYSTAL PU GLOSSY

Description Transparent PU heat seal material with polyester backing, created for inkjet digital printing & cutting systems with solvent or eco solvent based inks.
Suitable for white and light colored fabrics.
Average thickness: **85 micron**

Basic information Due to the many different base materials available on the market, the following heat transfer instructions are given as guideline only:
Plotter settings (eg. with ROLAND VP-300 plotter)
Blade: **new at 50°**
Minimum required pressure: **50 gf**
Transfer setup
Temperature: **165°C**
Time: **20"**
Pressure: **medium (3 bar)**

Application instructions Mirror print the material
Cut
Weed the exceeding material
Place the print with its polyester backing on the textile
Heat apply
Remove the support **cold**

Suitable textiles White or very light colored: cotton, polyester and blends of these materials
(not suited for treated and dye sublimation fabrics)

Washing instructions Wait **24h** after the heat transfer
60°C Max – inside out
Do not use bleach or other aggressive chemical agents
Dry clean: **no**
Tumble dry: **no**



Organizzazione con sistema di gestione certificato
ISO 9001:2008

Siser s.r.l.

Viale della Tecnica n° 18
36100 Vicenza - Italy
Tel. +39 0444.287960
Fax +39 0444.287959
info@siser.it - www.siser.it

r.e.a. vi 171856 - reg. imp. vi n° 14971
c.s. € 103.300 i.v. - p.iva 01591490246

N.B.

All information given in this sheet are based on our experience.
We always recommend performing a test before starting standard production.
For best results we recommend to store the product away from direct sunlight.

The product meets the Italian and EU regulations relating to its proper use, and to the (EU) regulation n. 1907/2006/EU REACH (Registration, Evaluation, Authorization and Restriction of Chemical substance). This document can be subject to variations. Updated versions are available on our www.siser.it.
For further information, please contact our Sales Office. Thank you.